


KBE 76 AluClip Zero

Unique design variant



KBE 76 Centre Seal System AluClip Zero





- » Flush mounted look
- » Virtually flush glazing offset
- » Glazing from 48 - 56 mm



- » Wood-aluminium look
- » Same glazing offset as for fixed glazing
- » Glazing from 36 - 50 mm

AluClip Zero is a KBE 76 design variant that is unique on the market and has already been tried and tested in a number of building projects. Two different covers are available for the window line: one presenting a completely flush-mounted look and virtually flush glazing plane, a second with classical wood-aluminium look and the same glass plane as fixed glazing, and a third variant with all glass look.

Compatibility enjoys high priority for this product as well: AluClip Zero draws from the 76 mm AluClip range, i.e. the tried and tested centre seal system is used for the mullion and floating mullion connections.

The new design variant AluClip Zero expands greatly the 76 mm system range specifically for demanding architectural projects and can bring its advantages to bear exactly where the aluminium look is just as important as the functional benefits of PVC-U.

» Three different design covers

» Glazing from 36 - 50 mm
and from 48 - 58 mm

» U_f values 1.1–1.2 W/(m²K)

» Recyclable

» Patent application being processed



- » All glass look
- » Sash and pane virtually flush mounted
- » Glazing from 36 - 50 mm



The specially matched residential door variant is designed for a completely flush-mounted look, and its technical highlights include a "floating" fastener for the panelling. Warping under the effects of heat is therefore eliminated.

- » Flush look on residential doors as well
- » U_D values in passive house range
- » Door panel from 36 - 86 mm



profine GmbH
KBE Fenstersysteme
Motzener Straße 31–33
12277 Berlin
Telefon: +49 30 86873-0
Telefax: +49 30 86873-386
E-Mail: info@kbe.de
www.kbe.de